TRIBOLOGY
INTERNATIONAL

Index to Volume 27 (1994)

Number 1 pp 1–64
Number 2 pp 65–136
Number 3 pp 137–216
Number 4 pp 217–296
Number 5 pp 297–376
Number 6 pp 377–448

Article Index

Number 1

Editorial
J. Hasegawa 2
Trends in engine technology and tribology
M. Nakada 3
Trends in diesel exhaust gas control and engineers' expectations from tribology
M. Odajima 9
Tribological issues in reducing piston ring friction losses
Y. Tateishi 17
The tribology of a minimum-slip lock-up clutch-control system
T. Naruse 25
Effects of engine downsizing on friction losses and fuel economy
R. Nozawa, Y. Morita and M. Shimizu 31
Tribological application of MMC for reducing engine weight
K. Shibata and H. Ushio 39
The contribution of engine oil to emission-controlled vehicles
M. Hirata 45
Tribology for alternative-fuel engines
H. Aihara 51
Book reviews 57
Calendar 63

Number 2

Editorial 66
Obituary 67
The measurement of the pile-up topography of hardness indentations
L. Blunt and P.J. Sullivan 69
The wear of cemented carbide tools in steel finish machining
M.A. Teodorescu 81
Brush-on-disc simulation tribo-testing of materials for gas turbine-compliant seal components
H.M. Hawthorne 87
Effect of temperature on friction and oscillating sliding wear of dense and porous 3Y-TZP zirconia ceramics
W. Bundschuh and K.-H. Zum Gahr 97
A new generalization of the Reynolds equation for a micropolar fluid and its application to bearing theory
N.M. Bessonov 105
Quantitative measurement of repetitive impact damage on ground silicon nitride surfaces
P.J. Blau and T.A. Hanft 109
International Reports
Tribology in the former USSR
S. Jahanmir 119
Personal impressions of the status of tribology in the former Soviet Union
I. Singer 123
About the authors 127
News 129
Calendar 133
Guidelines for disk submission 135
Disk specification form 136

Number 3

Friction and wear characteristics of ion-beam modified graphite coatings
B.K. Gupta, J. Janting and G. Sørensen 139
A dry wear model based on energy considerations
C.M. Rodkiewicz and Y. Wang 145
The effects of alumina fibres on the sliding wear of a cast aluminium alloy
B.K. Prasad, O.P. Modi and A.K. Jha 153
Performance of an externally pressurized rectangular gas bearing under constant effective recess pressure
S.Z. Kassab 159
Characteristics of acoustic emission in drilling
W.P. Dong, Y.H. Joe Au and A. Mardapittas 169
The effect of silicon content and morphology on the wear of aluminium-silicon alloys under dry and lubricated sliding conditions
F.A. Davis and T.S. Eyre 171
The fundamental molecular structures of synthetic traction fluids
T. Toshiyuki and H. Hitoshi 183
Optimum model shape of sliding bearings for oscillating motion
H.A. El-Gamal and T.H. Awad 189
Thermal analysis of locked multi-ring oil seals
J.E. Semanate and L.A. San Andres 197
About the authors 207
Book reviews 208
Conference report 213
Calendar 215

Number 4

Abrasive wear control design of a metal thermal spray coating and its application
Z. Liu 219

0301-679X/94/06/0443–05 © 1994 Butterworth-Heinemann Ltd

Index

Comparison of the feedback source between shaft displacement and load variation in controlled bearings
T. Ohsumi, K. Ikeuchi, H. Takase, H. Obara, Y. Haruyama and N. Yokoi 227
Influence of hardness of the counterbody in three-body abrasive wear – an overlooked hardness effect
N. Axén, S. Jacobson and S. Hogmark 233
Non-linearities in misaligned journal bearings
P.G. Nikolakopoulos and C.A. Papadopoulos 243
Temperature maps for pin-on-disk configuration in dry sliding
Y. Wang and C.M. Rodkiewicz 259
The maximum tensile stress on a hard coating under sliding friction
D.F. Diao, K. Kato and K. Hayashi 267
The effect of rolling direction reversal on fatigue crack morphology and propagation
W.R. Tyfour and J.H. Beynon 273
Evaluation of frictional properties of tribomaterials under sparse lubrication
Y. Kimura, S. Kawakami, H. Kanayama, S. Asahi and S. Mizuguchi 283
About the authors 290
News 292
Conference report 293
Calendar 295

Number 5

Stability of a rigid rotor in turbulent hybrid porous journal bearings
A. Kumar and N.S. Rao 299
A microstructural study of the wear behaviour of SiC_p/Al composites
S. Chung and B.H. Hwang 307
Load-carrying capability of water-lubricated ceramic journal bearings
P. Andersson and P. Lintula 315
Transfer film bonding and wear studies on CuS-nylon composite sliding against steel
A. Kapoor and S. Bahadur 323
The effects of temperature, elasticity and fore-region pressure build-up on the performance of centrally pivoted linear pad bearings
P. Yang and C.M. Rodkiewicz 331
Electrical discharge when machining medium-density fibreboard and tool wear
H.A. Stewart, S. Srinivasan, A.K. Stiffler and B.D. Miller 343
Unlubricated sliding wear mechanism of fine ceramic Si_3N_4 against high-chromium cast iron
L. Zhou, L. Fang, N.X. Wang and J.E. Zhou 349
Subsurface crack investigation on delaminated ceramic elements
M. Hadfield, S. Tobe and T.A. Stolarksi 359
About the authors 369
Book reviews 370
Conference report 373
Calendar 375

Number 6

Editorial 378
Molybdenum dialkylphosphoro-dithioates: synthesis and performance evaluation as multifunctional additives for lubricants
R. Sarin, D.K. Tuli, A.V. Sureshbabu, A.K. Misra, M.M. Rai and A.K. Bhatnagar 379
Characterization of friction polymer from wear testing of polyphenyl ethers
M.A. Keller and C.S. Saba 387
The contact forces of lip seals for a ball bearing
C.K. Kim and I.K. Jun 393
The effect of rolling direction reversal on the wear rate and wear mechanism of pearlitic rail steel
W.R. Tyfour and J.H. Beynon 401
Friction and wear of carbon-graphite materials against metal and ceramic counterfaces
P.J. Blau and R.L. Martin 413
Estimation of contact stiffness at interfaces in machine structures by a beam model on an elastic foundation
M. Hashimoto, E. Marui and S. Kato 423
Laboratory Report
Tribology research at the Defence Metallurgical Research Laboratory, Hyderabad, India 433
Index to Volume 27 443
Calendar 448

Author Index

Aihara, H. 51
Andersson, P. 315
Asahi, S. 283
Awad, T.H. 189
Axén, N. 233

Bahadur, S. 323
Bessonov, N.M. 105
Beynon, J.H. 273, 401
Bhatnagar, A.K. 379
Blau, P.J. 109, 413
Blunt, L. 69
Bundschuh, W. 97

Chung, S. 307

Davies, F.A. 171
Diao, D.F. 267
Dong, W.P. 169

El-Gamal, H.A. 189
Eyre, T.S. 171

Fang L. 349

Gupta, B.K. 139

Hadfield, N. 359
Hanft, T.A. 109
Hashimoto, M. 423
Hawthorne, H.M. 87
Hayashi, K. 267
Hirata, M. 45
Hitoshi, H. 183
Hogmark, S. 233
Huruyama, Y. 227
Hwang, B.H. 307

Ikeuchi, K. 227

Jacobson, S. 233
Janting, J. 139
Jha, A.K. 153
Joe Au, Y.H. 169
Jun, I.K. 393

Kanayama, H. 283
Kapoor, A. 323
Kassab, S.Z. 159
Kato, K. 267
Kato, S. 423
Kawakami, S. 283
Keller, M.A. 387
Kim, C.K. 393

Index

Kimura, Y. 283
Kumar, A. 299

Lintula, P. 315
Liu, Z. 219

Mardapittas, A. 169
Martin, R.L. 413
Marui, E. 423
Miller, B.D. 343
Misra, A.K. 379
Mizuguchi, S. 283
Modi, O.P. 153
Morita, Y. 31

Nakada, M. 3
Naruse, T. 25
Nikolakopoulos, P.G. 243
Nozawa, R. 31

Obara, H. 227
Odajima, M. 9
Ohsumi, T. 227

Papadopoulos, C.A. 243
Prasad, B.K. 153

Rai, M.M. 379
Rao, N.S. 299
Rodkiewicz, C.M. 145, 259, 331

Saba, C.S. 387
San Andres, L.A. 197
Sarin R. 379
Semanate, J.E. 197
Shibata, K. 39
Shimizu, M. 31
Sørensen, G. 139
Srinivasan, S. 343
Stewart, H.A. 343
Stiffler, A.K. 343
Stolarski, T.A. 359
Sullivan, P.J. 69
Sureshbabu, A.V. 379

Takase, H. 227
Tateishi, Y. 17
Teodorescu, M.A. 81
Tobe, S. 359
Toshiyuki, T. 183
Tuli, D.K. 379
Tyfour, W.R. 273, 401

Ushio, H. 39

Wang, N.X. 349
Wang, Y. 145, 259

Yang, P. 331
Yokoi, N. 227

Zhou, J.E. 349
Zhou, L. 349
Zum Gahr, K.-H. 97

Keyword Index

Abrasive wear
Wear design, Coating, 219
Three-body abrasion, Hardness effect, 233
Acoustic emission
Wear, Friction, 169
Active zone
Wear, Tool, 81
Alternative fuel
Spark ignition engine, Methanol engine, 51
Alumina fibre
Metal matrix composite, Carbon fibre, 39
Aluminium alloy composite
Squeeze cast composite, Sliding wear, 153
Aluminium-silicon alloys
Silicon morphology, Wear resistance, 171
Antifriction
Molybdenum, Phosphorodithioate, 379
Archard's Model
Dry wear, Sliding, 145

Bearing supply pressure
Gas bearing performance, Recess pressure, 159
Boundary viscosity
Reynolds equation, Micropolar fluid, 105
Brush seals
Flexible element seals, Tribo-testing, 87

CVT rigid rotation
Synthetic traction fluid, Molecular structure, 183
Carbon fibre
Metal matrix composite, Alumina fibre, 39
Carbon/graphite
Graphite, Piston, 413
Ceramic
Zirconia, Temperature, 97
Ceramic elements
Subsurface cracks, Delamination, 359
Coating
Wear design, Abrasive wear, 219
Coefficient of friction
Polymer composite, Wear, 323
Contact force
Lip seal, Finite element method, 393
Contact stiffness
Interface, Surface contact, 423
Control
Thrust gas bearing, Sensing mechanism, 227

Delamination
Subsurface cracks, Ceramic elements, 359
Diesel engine
Wear, Exhaust gas, 9
Downsizing
Engine, Simulation, 31
Dry wear
Archard's Model, Sliding, 145

Elasticity
Tilting-pad bearing, Temperature, 331
Electrical potentials
MDF, Tool wear, 343
Emission
Oil, Internal combustion engine, 45
Engine
Fuel economy, Friction, 3
Downsizing, Simulation, 31
Exhaust gas
Diesel engine, Wear, 9

FEM analysis
Journal bearings, Misalignment, 243
Ferrography
Friction polymer, Lubrication, 387
Fine ceramic Si_3N_4
Sliding wear, Wear micromechanisms, 349
Finite element method
Hard coating, Friction coefficient, 267
Lip seal, Contact force, 393
Flexible element seals
Brush seals, Tribo-testing, 87
Friction
Fuel economy, Engine, 3
Wear, Oil consumption, 17
Acoustic emission, Wear, 169
Sparse lubrication, Oil mist, 283
Friction coefficient
Hard coating, Finite element method, 267
Friction polymer
Ferrography, Lubrication, 387
Fuel economy
Friction, Engine, 3

Gas bearing performance
Recess pressure, Bearing supply pressure, 159
Graphite

Index

Solid lubrication, Ion bombardment, 139
Carbon/graphite, Piston, 413

Hard coating
Friction coefficient, Finite element method, 267
Hardness
Measurement, Topography, 69
Hardness effect
Abrasive wear, Three-body abrasion, 233
Hybrid bearings
Journal bearings, Porous bearings, 299

Impact damage
Silicon nitride, Wear scar, 109
Interface
Surface contact, Contact stiffness, 423
Internal combustion engine
Oil, Emission, 45
Ion bombardment
Solid lubrication, Graphite, 139

Journal bearings
Misalignment, FEM analysis, 243
Hybrid bearings, Porous bearings, 299
Water lubrication, Wear, 315

Lip seal
Contact force, Finite element method, 393
Lock-up clutch
Tribology, Shudder, 25
Lubrication
Ferrography, Friction polymer, 387

MDF
Electrical potentials, Tool wear, 343
Measurement
Topography, Hardness, 69
Metal matrix composite
Alumina fibre, Carbon fibre, 39
Methanol engine
Spark ignition engine, Alternative fuel, 51
Micropolar fluid
Reynolds equation, Boundary viscosity, 105
Microstructure
SiC_p/Al, Wear behaviour, 307
Misalignment
Journal bearings, FEM analysis, 243
Modified Sommerfeld Number
Multi-ring oil seals, Thermal effects, 197
Molecular structure
Synthetic traction fluid, CVT rigid rotation, 183
Molybdenum
Phosphorodithioate, Antifriction, 379
Multi-ring oil seals
Thermal effects, Modified Sommerfeld Number, 197

Oil
Internal combustion engine, Emission, 45
Oil consumption
Friction, Wear, 17
Oil mist
Sparse lubrication, Friction, 283

Phosphorodithioate
Molybdenum, Antifriction, 379
Pin-on-disk
Temperature maps, Wear, 259
Piston
Graphite, Carbon/graphite, 413
Piston ring lubrication
Sliding bearing shape, Piston ring shape, 189
Piston ring shape
Sliding bearing shape, Piston ring lubrication, 189
Polymer composite
Wear, Coefficient of friction, 323
Porous bearings
Journal bearings, Hybrid bearings, 299

Recess pressure
Gas bearing performance, Bearing supply pressure, 159
Reversal
Rolling contact fatigue (RCF), Rolling direction, 273
Rolling/sliding contact, Rolling direction, 401
Reynolds equation
Micropolar fluid, Boundary viscosity, 105
Rolling contact fatigue (RCF)
Rolling direction, Reversal, 273
Rolling direction
Rolling contact fatigue (RCF), Reversal, 273
Rolling/sliding contact, Reversal, 401
Rolling/sliding contact
Rolling direction, Reversal, 401

Sensing mechanism
Thrust gas bearing, Control, 227
Shudder
Tribology, Lock-up clutch, 25
SiC_p/Al
Wear behaviour, Microstructure, 307
Silicon morphology
Aluminium-silicon alloys, Wear resistance, 171
Silicon nitride
Impact damage, Wear scar, 109
Simulation
Engine, Downsizing, 31
Sliding
Dry wear, Archard's Model, 145
Sliding bearing shape
Piston ring shape, Piston ring lubrication, 189
Sliding wear
Aluminium alloy composite, Squeeze cast composite, 153
Fine ceramic Si_3N_4, Wear micromechanisms, 349
Solid lubrication
Ion bombardment, Graphite, 139
Spark ignition engine
Methanol engine, Alternative fuel, 51
Sparse lubrication
Oil mist, Friction, 283
Squeeze cast composite
Aluminium alloy composite, Sliding wear, 153
Subsurface cracks
Delamination, Ceramic elements, 359
Surface contact
Interface, Contact stiffness, 423
Synthetic traction fluid
Molecular structure, CVT rigid rotation, 183

Temperature
Ceramic, Zirconia, 97
Tilting-pad bearing, Elasticity, 331
Temperature maps
Pin-on-disk, Wear, 259
Thermal effects
Multi-ring oil seals, Modified Sommerfeld Number, 197
Three-body abrasion
Abrasive wear, Hardness effect, 233
Thrust gas bearing
Sensing mechanism, Control, 227
Tilting-pad bearing
Temperature, Elasticity, 331
Tool
Wear, Active zone, 81
Tool wear
Electrical potentials, MDF, 343
Topography
Measurement, Hardness, 69
Tribo-testing
Brush seals, Flexible element seals, 87
Tribology
Lock-up clutch, Shudder, 25

Water lubrication
Journal bearings, Wear, 315
Wear
Diesel engine, Exhaust gas, 9
Friction, Oil consumption, 17
Tool, Active zone, 81
Acoustic emission, Friction, 169
Temperature maps, Pin-on-disk, 259
Journal bearings, Water lubrication, 315
Polymer composite, Coefficient of friction, 323
Wear behaviour
SiC_p/Al, Microstructure, 307
Wear design
Abrasive wear, Coating, 219
Wear micromechanisms

Index

Sliding wear, Fine ceramic Si_3N_4, 349
Wear resistance
Aluminium-silicon alloys, Silicon morphology, 171
Wear scar
Impact damage, Silicon nitride, 109

Zirconia
Ceramic, Temperature, 97

Laboratory report 433

International reports 119, 123

News 129, 292

Book reviews 57, 208, 370

Calendar 63, 133, 215, 295, 375, 448